Date Mailed: February 27, 2004

Sheet 1 of 4

| Form 1449* | Docket Number: GecC 669.22-US-D1 Application Number: 10/459,549 | | |
|----------------------------------|---|----------------------|--|
| INFORMATION DISCLOSURE STATEMENT | Applicant Diane Perusies | | |
| IN AN APPLICATION | Filing Date: September 10, 2003 | Group Art Unit: 1653 | |

| U.S. PATENT DOCUMENTS - REFERENCES NOT REQUIRED | | | | | | | |
|---|---|---|--|-------------------------------|-------|----------|-------------------------------|
| EXAMIN | | DOCUMENT NO. | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
| ve' | | 5,871,965 | 2/16/99 | Bandman et al. | | , | 10/25/96 |
| · | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) REFERENCES NOT REQUIRED | | | | | | |
| Adams et al., "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence" Nature, 377 (6547 SUPPL) pp. 3-174, 1995. | | | | | | | |
| | <u>:</u> | Asun prote | Asundi et al., "Molecular cloning and characterization of an isoprenylated 67 kDa protein" Biochimica et Biophysica Acta, (1217), pp. 257-265, 1994. | | | | |
| · \ | | BLAS | BLASTN with ss.hu.GBP4, 28 January 1998. | | | | |
| | | BLAS | BLASTP with pl.GBP-4, 28 January 1998. | | | | |
| | | prote | Braun et al., "Identification of target genes for the Ewing's sarcoma EWS/FLI fusion protein by representational difference analysis" Mol. Cell Biol., (15), pp.4623-4630, 1995. | | | | |
| | Briken et al., "Interferon regulatory factor 1 is required for mouse Gbp gene activation by gamma interferon" Mol. Cell Biol., (15), pp. 975-982, 1995. | | | | | | |
| | Cheng et al., "Affinity purification of an interferon-induced human guanylate-binding protein and its characterization" J. of Bio. Chem., (260), 15834-15839, 1985. | | | | | | |
| | | Chen activi | Cheng et al., "Interferon induction of fibroblast proteins with guanylate binding activity" J. of Bio. Chem., (258), pp.7746-7750, 1983. | | | | |
| | | Cheng et al., "Interferon-induced guanylate-binding proteins lack an N(I)KXD consensus monif and bind GMP in addition to GDP and GTP" Mol. Cell Biol., (11), pp. 4717-4725, 1991. | | | | | |
| | Cheng et al., "Nonidentical induction of the guanylate binding protein and the 56K protein by type I and type II interferons" J. Interferon Res., (6), pp. 417-427, 1986. | | | | | | |
| John John | Darnell, Jr. et al., "Jak-STAT Pathways and Transcriptional Activation in Response to IFNs and Other Extracellular Signaling Proteins" Science, 264 (5164), pp. 1415-1421, 3 June 1994. | | | in Response to pp. 1415-1421, | | | |

| EXAMINER: & Carlos | DATE CONSIDERED: 10-13-2005 | | | |
|--|-----------------------------|--|--|--|
| EXAMINER: Initial if reference considered, whether as not citation is in conformance with MPEP 609; draw line through citation if not in | | | | |
| conformance and not considered. Include copy of this form for next come | nunication to the Applicant | | | |

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

G&C 669.23-US-D1

^{*}Substitute Disclosure Statement Form (PTO-1449)

Date Mailed February 27, 2004

Sheer 2 of 4

| Form 1449* | Docker Number: G&C 669.22-US-D1 | Application Number: 10/659,549 | |
|----------------------------------|---------------------------------|--------------------------------|--|
| INFORMATION DISCLOSURE STATEMENT | Applicanc Diane Pennica | | |
| IN AN APPLICATION | Filing Date: September 10, 2003 | Group Art Unit: 1653 | |

| rge | Decker et al., 'Interactions of α- and γ-interferon in the transcriptional regulation of the gene encoding a guanylate-binding protein" EMBO J. (8), pp. 2009-2014, 1989. |
|-----|--|
| | Dever and Merrick, "The GTP-binding domain revisited" The guanin-nucleotide binding proteins: common structural and functional properties, L. Bosch, B. Kraal, and A. Parmegianni, New York: Plenum Press, pp. 35-48, 1995. |
| | Dever et al., "GTP-binding domain: three consensus elements with distinct spacing" Proc. Natl. Acad. Sci. USA, (84), pp. 1814-1818, 1987. |
| | Diatchenko et al., "Suppression subtractive hybridization: a method for generating differentially regulated or tissue-specific cDNA probes and libraries" Proc. Natl. Acad. Sci. USA (93), pp. 6025-6030, 1996. |
| | Gibbs et al., "Farneyltranserase inhibitors: Ras research yields a potential cancer therapeutic" Cell, (77), pp. 175-178, 1994. |
| | Grueberg and Maxfield, "Membrane transport in the endocytic pathway" Curr. Opin. Cell Biol., (7), pp. 552-563, 1995. |
| | Hancock et al., "A polybasic domain or palmitoylation is required in addition to the CAAX motif to localize p21ras to the plasma membrane" Cell, (63), pp. 133-139, 1990. |
| - | Horisberger et al., "Cloning and sequence analyses of cDNAs for interferon- and virus induced human Mx proteins reveal that they contain putative guanine nucleotide-binding sites: functional study of the corresponding gene promoter" J. of Virology, (64) 1171-1181, 1990. |
| | Iolascon et al., "Frequent clonal loss of heterozygosity (LOH) in the chromosomal region 1p32 occurs in childhood T cell acute lymphoblastic leukemia (T-ALL) carrying reassangements of the TAL1 gene" Leukemia, (11), pp. 359-363, 1997. |
| | Jumak, "Structure of the GDP domain of EF-Tu and location of the amino acids homologous to ras oncogene proteins" Science, (230), pp.32-36, 1985. |
| | Lew et al., "Overlapping Elements in the Guanylate-Binding Protein Gene Promoter Mediate Transcriptional Induction by Alpha and Gamma Interferons" Molecular & Cellular Biology, 11, (1), pp. 182-191, 1991. |
| | Lewis et al., "Identification of putatuive c-Myc-responsive genes: characterization of rcl, a novel growth-related gne" Mol. Cell Biol., (17), pp. 4967-4978, 1997. |
| Ve | Marks et al., "Protein targeting by tyrosine- and di-leucine- based signals: evidence for distinct saturable components" J. Cell Biol., (135), pp. 341-354, 1996. |

| EXAMINER: BCCarlson | DATE CONSIDERED: 10-13-2005 | | | |
|---|-----------------------------|--|--|--|
| EXAMINER: Israel if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in | | | | |
| conformance and not considered. Include copy of this form for next communication to the Applicant. | | | | |

*Substitute Disclosure Statement Form (PTO-1449)

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

G&C 669.22-US-D1

Date Mailed: February 27, 2004

Sheet 3 of 4

| Form 1449* | Docker Number: G&C 669.22-US-D1 | Application Number: 10/659,549 | |
|----------------------------------|---------------------------------|--------------------------------|--|
| INFORMATION DISCLOSURE STATEMENT | Applicant Diane Pennica | | |
| IN AN APPLICATION | Filing Date: September 10, 2003 | Group Art Unit: 1653 | |

| Yel | Nagai et al., "Detection and cloning of a common region of loss of heterozygosity at chromosome 1p in breast cancer" Cancer Research, (55), pp. 1752-1757, 1995. |
|-----|--|
| | Nantais et al., "Prenylation of an interferon-y- induced GTP-binding protein: the human guanylate binding protein, huGBP1" J. Leukoc. Biol. (60), 423-431, 1996. |
| | Neun et al., "GTPase properties of the interferon-induced human guanylate-binding protein 2" FEBS Letters, (390) pp. 69-72, 1996. |
| | Nicolet et al. "Promoter analysis of an interferon-inducible gene associated with macrophage activation" J. Immunol., (152), pp. 153-162, 1994. |
| | Parsonner, "Helicobacter pylon and gasteric cancer" Gastroenterol Clin. North Am. (22), pp. 89-104, 1993. |
| | Peddanna et al., "Genetics of gastric cancer" Anticancer Res., (15), pp. 2055-2064, 1995. |
| | Schena et al., "Quantitative monitoring of gene expression patterns with a complementary DNA microarray" Science (270), pp. 467-470, 1995. |
| | Schwemmle et al., "The interferon-induced 67-kDa guanylate-binding protein (hGBP1) is a GTPase that converts GTP to GMP" J. of Bio. Chem., (269) pp.11299-11305, 1994. |
| | Schwemmle et al., "Chicken guanylate-binding protein. Conservation of GTPase activity and induction by cytokines" J. of Biol. Chem., (271), pp.10304-10308, 1996. |
| | Shuai, "Interferon-activated signal transduction to the nucleus" Curr. Opin. Cell Biol. (6), pp. 253-259, 1994. |
| | Stemmermann et al., "The molecular biology of esophageal and gastric cancer ad their precursors: oncogenes, tumor suppressor genes, an growth factors" Hum. Pathol. (25), pp. 968-981, 1994. |
| | Strausberg, "tw76b04.x1 NCI_CGAP_Ut3 homo sapiens cDNA clone Image: 2265583 3' similar to gb: M55542 INTERFERON-INDUCED GUANYLATE PROTEIN 1 (HUMAN); , mRNA sequence" (Acession No. AI811907.1), 9 may 1996. |
| | Strausberg, "ws36e12.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE: 2499310 3' similar to gb: M55542 INTERFERON-INDUCED GUANYLAE-BINDING PROTEIN 1 (HUMAN); , mRNA sequence" (Accession No. AI989871), 20 December 1995. |
| fce | Strenhlow et al., "The interferon-inducible GBP1 gene: structure and mapping to human chromosome 1" Gene (144), pp. 295-299, 1994. |

| EXAMINER: Initial if reference considered, whether or not citation is in c | conformance with MPEP 607; draw line durough citation if not in | |
|--|---|--|
| conformance and not considered. Include copy of this form for next comm | munication to the Applicant | |

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

G&C 669.22-US-D1

^{*}Substitute Disclosute Statement from (PTO-1449)

Date Mailed: February 27, 2004

Sheer 4 of 4

| Farm 1449* | Docker Number: G&C 669.22-US-D1 Application Number: 10/659,549 | | |
|----------------------------------|--|---------------------|--|
| Information disclosure statement | Applicant Diane Pennica | | |
| IN AN APPLICATION | Filing Date: September 10, 2003 | Group Art Unic 1653 | |

| yes | Tamura et al., "Two distinct regions fo deletion on the long arm of chromosome 5 in differentiated adenocarcinomas of the stomach" Cancer Research, (56), pp. 612-615, 1996. |
|-----|--|
| | Tanaka et al., "Cooperation of the tumour suppresors IRF-1 and p53 in response to DNA damage" Nature 382, pp. 816-818, 1996. |
| | Taylor et al., "Identification of a novel GTPase, the inducibly expressed GTPase, that accumulates in response to interferon γ "]. of Biol. Chem., (271), pp. 20399-20405, 1996. |
| | Taylor et al., "The inducibly expressed GTPase localizes to the endoplasmic reticulum, independently of GTP binding" J. of Biol. Chem., (272), pp.10639-10645, 1997. |
| | Velculescu et al., "Serial analysis of gene expression" Science (270), pp. 484-487, 1995. |
| | Vestal et al., "A New IFN-y Induced Member of a Family of Guanylate Binding Proteins, Murine GBP-2" Molecular Biology of the Cell. (7) 527A, Suppl. 1996. |
| | Vestal et al., "A New Murine IFN-y Indued 67 KDA member of a Family of Guanylate Binding Proteins" Molecular biol. Of the Cell, (6) 288A, Suppl. 1995. |
| | Vestal et al., "Rat p67 GBP in induced by interferon -y and isoprenoid-modified in macrophages" Biochem. & Biophys. Res. Comm., (224), pp. 528-534, 1996. |
| | Willman et al., "Deletion of IRF-1, mapping to chromosome 5q31.1, in human leukemia and preleukemic myelodysplasia" Science, (259), pp.968-971, 1993. |
| | Wynn et al., "Identification and characterization of a new gene family induced during macrophage activation" J. Immunol., (147), pp. 4384-4392, 1991. |
| | Zhang et al., "Gene expression profiles in normal and cancer cells" Science, (276), pp.1268-1272, 1997. |
| Ree | Zhang et al., "Protein prenylation: molecular mechanisms and functional consequences" Annu. Rev. Biochem., (65), pp. 241-269, 1996. |

| | | · | | |
|--|------------------|-------------|--|--|
| EXAMINER: BCCarto | DATE CONSIDERED: | 10-13-2-005 | | |
| EXAMINER: Italial if reference considered, whether or not circuion is in conformance with MPEP 609; draw line through citation if not in | | | | |
| conformance and not considered. Include copy of this form for next communication to the Applicant. | | | | |

*Substitute Disclosure Statement Form (PTO-1449)

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

G&C 669.22-US-101